




سوق السيارات العربي

International Car Bridge FZE

Danat Al Ain Resort, Nyadat Street, P.O. Box: 16031, Al Ain, UAE
Tel: 00971/50/7 13 13 07, Fax: 00971/3/76 86 766
Contact in Germany: Volker Risse, Alfred-Ott-Str. 7, 53489 Sinzig bei Bonn
Tel:+49/2642/994999, Fax:994997, Mobil:(0)172/6539555, Email: info@icbdubai.com
Webpages: www.icbdubai.com, www.cartrader24.com, www.auctionagents.ae

HIACE BUS (PETROL) - '12YM SPECIFICATIONS



Nettopreise inkl. Verschiffung und Transportversicherung frei CIF Hamburg (Kurs: 1Euro=1,40US\$)

In Deutschland fallen folgende weitere Kosten an, die im oben genannten Bruttoendpreis aber schon enthalten sind (!!!): 10% Zoll, MwSt., Harbourhandling, Umbau der Beleuchtungsanlage, Fahrzeugbriefherstellung



سوق السيارات العربي

International Car Bridge FZE

Danat Al Ain Resort, Nyadat Street, P.O. Box: 16031, Al Ain, UAE

Tel: 00971/50/7 13 13 07, Fax: 00971/3/76 86 766

Contact in Germany: Volker Risse, Alfred-Ott-Str. 7, 53489 Sinzig bei Bonn

Tel:+49/2642/994999, Fax:994997, Mobil:(0)172/6539555, Email: info@icbdubai.com

Webpages: www.icbdubai.com, www.cartrader24.com, www.auctionagents.ae

HIACE BUS (DIESEL) - '12YM SPECIFICATIONS

STD BODY

15 STR AC DLX DSL

US\$ 31.230,- // Euro 22.310,- // Bruttoendpreis: 30.450,- Euro

15 seater Bus
Overall LengthxWidthxHeight (mm): 4695x1695x1980
2.5Ltr Turbo Diesel, 4-Cyl, 16V, DOHC Engine
Common-rail type Direct fuel injection system
> Max.Output: 101 HP (SAE-Net)
> Torque: 26.5 KgM (SAE-Net)
Transmission: 5 Speed M/T
195 R 15 Tires
Air Conditioner: Fr+Rr (Rear with 2-way air-flow ducts)
Audio: AM/FM **CD** 2 speakers
Brake control valve: LSPV
Brakes Fr/Rr : V.Disc / Drum
Bumpers: Black
Cigarette Lighter
Digital Clock
Foot Rest (Driver)
Front Intermittent Wipers
Front Seats (D+P) : Sliding + Reclining

Fuel Lid Opener
Full Wheel Caps
Glove box: Lower+Upper
High Mount Stop Lamps (LED type)
Inner Mirror: Day/Night
Meter Illumination Control
Power steering
Rear Door Inside Handle
Rear glasses:Slide type (both LH & RH)
Protector on RH Rear Window
Rear Seat: 12 nos. (3+3+3+3)
Seat Belts Front : 3PELRx2+2PNRx1
Seat Belts Rear. : 2PNRx12
Seat Material: Fabric
Side & Rear Glasses: UV cut
Split foldable last row seat (2 seater)
Heater Fr.
Steering wheel: Urethane
Sunvisor: D+P (Fabric)
Tailgate 'TOYOTA' sticker
Tilt Steering

HIGH ROOF BODY

15 STR AC DLX DSL H/R

US\$ // Euro // Bruttoendpreis: Euro

15 seater Luxury Bus
Overall LengthxWidthxHeight (mm): 5380x1880x2285
Air Conditioner: Dual with individual vents (9 nos.)
4-speaker Audio system
Front separate seats
Headlamp Levelling
Mudguards : Fr + Rr
Power Door lock (D+P side key linked)
Power Window (Auto up/down with Jam protection)
Rear Seats : 13 (3+3+3+4)
Rear Window Defogger
Rear Window Wiper
Room Lamps (2 at Rear)
Seat belts Fr. : 3PELRx2
Seat Belts Rear. : 2 PNR x13
Side Step: Moulded with lamp
Split foldable last row seat (2+2)

15 STR AC GL DSL H/R

US\$ 39.380,- // Euro 28.130,- // Bruttoendpreis: 37.840,- Euro

Audio: AM/FM **CD/MP3** 6 speakers
Airbag: Driver + Passenger
Ashtray with Illumination
Bumpers: Colour keyed
Cup Holders for Rear seats: 9 nos.
Door Outside Handles: Chrome plated
Driver+Passenger Seatbelts with Pretensioner
Fabric Door Trim
Fr. Personal Lamps
Front Grille: Chrome plated
Illuminated Entry System
Keyless Entry System
Rear Headrests (13 nos.)
Rear Heater
Rear Step: Resin type
Room Lamps (2 at Rear)
Rr Seat back pockets: Net Type
Seat Material : Superior Fabric
Side Step: Moulded with lamp

**Nettopreise inkl. Verschiffung und
Transportversicherung frei CIF Hamburg (Kurs:
1Euro=1,40US\$)**

**In Deutschland fallen folgende weitere Kosten
an, die im oben genannten Bruttoendpreis aber
schon enthalten sind (!!!): 10% Zoll, MwSt.,
Harbourhandling, Umbau der
Beleuchtungsanlage, Fahrzeugbriefherstellung**



سوق السيارات العربي

International Car Bridge FZE

Danat Al Ain Resort, Nyadat Street, P.O. Box: 16031, Al Ain, UAE

Tel: 00971/50/7 13 13 07, Fax: 00971/3/76 86 766

Contact in Germany: Volker Risse, Alfred-Ott-Str. 7, 53489 Sinzig bei Bonn

Tel:+49/2642/994999, Fax:994997, Mobil:(0)172/6539555, Email: info@icbdubai.com

Webpages: www.icbdubai.com, www.cartrader24.com, www.auctionagents.ae

HIACE VAN - '12YM SPECIFICATIONS

DEL VAN AC

US\$ 26.860,- // Euro 19.190,- // Bruttoendpreis:
26.450,- Euro

Steel Panel Van
Overall LengthxWidthxHeight (mm): 4695x1695x1980
Deck LengthxWidthxHeight (mm): 2930x1545x1335
Wheelbase 2570 mm
3 seater configuration
2.7Ltr, 4 Cylinder, DOHC,16V, EFi, VVTi Engine
> Max.Output: 149 HP (SAE-net)
> Torque: 24.6 KgM (SAE-net)
Transmission: 5 Speed M/T
195 R 15 Tires
Air Conditioner: Front
Audio: AM/FM **CD** 2 speakers
Brake control valve: LSPV
Brakes Fr/Rr : V.Disc / Drum
Bumpers: Black
Cigarette Lighter
Digital Clock
Foot Rest (Driver)
Front Intermittent Wipers
Front Seats (D+P) : Sliding + Reclining
Fuel Lid Opener

DEL VAN AC LWB H/R

US\$ 31.140,- // Euro 22.240,- // Bruttoendpreis: 30.350,- Euro

Overall LengthxWidthxHeight (mm): 5380x1880x2285
Deck LengthxWidthxHeight (mm): 3470x1730x1635
Wheelbase: 3110 mm
Headlamp levelling
Room Lamps (2 at Rear)

GLASS VAN AC

US\$ 27.540,- // Euro 19.670,- // Bruttoendpreis: 27.120,- Euro

6 Seater configuration
Rear Seat belts: 3 PELR x2 +2PNRx1
Glass Panels
High Mount Stop Lamp (LED type)

DEL VAN AC DSL

US\$ 28.940,- // Euro 20.670 // Bruttoendpreis: 28.360,- Euro

2.5Ltr Turbo Diesel, 4-Cyl, 16V, DOHC Engine
Common-rail type Direct fuel injection system
> Max.Output: 101 HP (SAE-Net)
> Torque: 26.5 KgM (SAE-Net)

Full Wheel Caps
Glove box: Lower+Upper
Inner Mirror: Day/Night
Meter Illumination Control
Power Steering
Room Separator Curtain
Seat Belts Fr: 3PELRx2+2PNRx1
Seat Material: Fabric
Side & Rear Glasses: UV cut
Steering wheel: Urethane
Sunvisor: D+P (Fabric)
Tailgate 'TOYOTA' sticker
Tilt Steering

**Nettopreise inkl. Verschiffung und
Transportversicherung frei CIF Hamburg (Kurs:
1Euro=1,40US\$)**

**In Deutschland fallen folgende weitere Kosten
an, die im oben genannten Bruttoendpreis aber
schon enthalten sind (!!!): 10% Zoll, MwSt.,
Harbourhandling, Umbau der
Beleuchtungsanlage, Fahrzeugbriefherstellung**

HIACE - '11YM SPECIFICATIONS

Basic	BASE MODEL	MAKE	TOYOTA	TOYOTA	TOYOTA	TOYOTA	TOYOTA	TOYOTA
		MODEL NAME	HIACE	HIACE	HIACE	HIACE	HIACE	HIACE
		GRADE	15 STR AC DLX	15 STR AC DLX SPL	15 STR AC DLX SPL A/T	15 STR AC DLX WIDE	15 STR AC DLX SPL WIDE	15 STR AC DLX SPL WIDE
		MODEL CODE/SFX	TRH203L-REMDKV/TRH-01	TRH203L-REMDKV/TRH-02	TRH203L-REPDKV/TRH-52	TRH213L-JEMDKV/TRH-08	TRH213L-JEMDKV/TRH-09	TRH213L-JEPDKV/TRH-59
		BODY TYPE	BUS	BUS	BUS	BUS	BUS	BUS
DIMENSIONS		DIMENSIONS Lx Wx H mm	4695 X 1695 X 1980	4695 X 1695 X 1980	4695 X 1695 X 1980	4840 X 1880 X 2105	4840 X 1880 X 2105	4840 X 1880 X 2105
		DECK DIMENSIONS L x W x H mm	--	--	--	--	--	--
		WHEEL BASE mm	2570	2570	2570	2570	2570	2570
		GROUND CLEARANCE mm						
		MIN. TURNING RADIUS(M)	5,0	5,0	5,0	5,3	5,3	5,3
		KERB WEIGHT (Kgs)	1760-1815	1760-1815	1775-1830	1855-1915	1855-1915	1870-1930
		PAYLOAD(KGS)	--	--	--	--	--	--
		GROSS VEHICLE WEIGHT (Kgs)	2950	2950	2950	2950	2950	2950
	FUEL TANK CAPACITY Ltrs.	70	70	70	70	70	70	
ENGINE & DRIVETRAIN		DISPLACEMENT cc	2694	2694	2694	2694	2694	2694
		HP (SAE Net) / RPM	149/ 4800	149/ 4800	149/ 4800	149/ 4800	149/ 4800	149/ 4800
		TORQUE (SAE Net) KgM /RPM	24.6/3800	24.6/3800	24.6/3800	24.6/3800	24.6/3800	24.6/3800
		TYPE	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC
		FUEL SYSTEM	EFI, VVTi	EFI, VVTi	EFI, VVTi	EFI, VVTi	EFI, VVTi	EFI, VVTi
		FUEL TYPE	GASOLINE	GASOLINE	GASOLINE	GASOLINE	GASOLINE	GASOLINE
		CATALYTIC CONVERTER	WITH	WITH	WITH	WITH	WITH	WITH
		T/M	5-SPEED M/T	5-SPEED M/T	4-SPEED A/T	5-SPEED M/T	5-SPEED M/T	4-SPEED A/T
TIRE		TIRE SIZE	195R15	195R15	195R15	195R15	195R15	195R15
		WHEEL CAP	FULL	FULL	FULL	FULL	FULL	FULL
STEERING		POWER/TILT	WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH	
BRAKE		FRONT/REAR	V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM
		LSPV	WITH	WITH	WITH	WITH	WITH	WITH
SUSPENSION		FRONT	DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE
		REAR	LEAF SPRING	LEAF SPRING	LEAF SPRING	LEAF SPRING	LEAF SPRING	LEAF SPRING
Safety		ABS	WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
		SIDE IMPACT BEAM	WITH	WITH	WITH	WITH	WITH	WITH
		AIR BAG	WITHOUT	DRIVER	DRIVER	DRIVER	DRIVER	DRIVER
Exterior		BUMPER	Fr. & Rr.	BLACK	BLACK	BLACK	BLACK	BLACK
		MUD GUARDS	Fr. & Rr.	WITHOUT	WITH	WITH	WITH	WITH
		WINDSHIELD GLASS		GREEN LAMINATED	GREEN LAMINATED	GREEN LAMINATED	GREEN LAMINATED	GREEN LAMINATED
		HIGH MOUNT STOP LAMP		WITH	WITH	WITH	WITH	WITH
		OUTER MIRRORS		BLACK	BLACK	BLACK	BLACK	BLACK
		DOOR HANDLES		BLACK	BLACK	BLACK	BLACK	BLACK
Interior		FUEL LID OPENER	WITH	WITH	WITH	WITH	WITH	WITH
		SEAT MATERIAL	FABRIC	FABRIC	FABRIC	FABRIC	FABRIC	FABRIC
		Fr. SEAT	Fr. SEAT BELT	3PELRx2+2PNRx1	3PELRx2+2PNRx1+PT(D)	3PELRx2+2PNRx1+PT(D)	3PELRx2+PT(D)	3PELRx2+PT(D)
		Rr. SEAT	Rr. SEAT BELT	2PNRx12	2PNRx12	2PNRx12	2PNRx13	2PNRx13
			HEAD REST	WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
		Fr. SPOT LAMP		WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
		DIGITAL CLOCK		WITH	WITH	WITH	WITH	WITH
		INNER REARVIEW MIRRORS		DAY / NIGHT	DAY / NIGHT	DAY / NIGHT	DAY / NIGHT	DAY / NIGHT
	SUN VISOR		D+P (FABRIC)	D+P (FABRIC)	D+P (FABRIC)	D+P (FABRIC)	D+P (FABRIC)	
	SEATING CAPACITY		15	15	15	15	15	
Electrical		WIPER Fr	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT
		WIPER Rr	WITHOUT	INTERMITTENT	INTERMITTENT	WITHOUT	INTERMITTENT	INTERMITTENT
		POWER WINDOW	WITHOUT	WITH	WITH	WITHOUT	WITH	WITH
		POWER DOOR LOCK	WITHOUT	WITH	WITH	WITHOUT	WITH	WITH
		KEYLESS ENTRY	WITHOUT	WITH	WITH	WITHOUT	WITH	WITH
		Rr. WINDOW DEFOGGER	WITHOUT	WITH	WITH	WITHOUT	WITH	WITH
		METER ILLUMINATION CONTROL	WITH	WITH	WITH	WITH	WITH	WITH
		ILLUMINATED ENTRY SYSTEM	WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
		RADIO		AM / FM ETR	AM / FM ETR	AM / FM ETR	AM / FM ETR	AM / FM ETR
		CASSETTE STEREO		WITHOUT, CD/MP3 , 2 SPK	WITHOUT, CD/MP3 , 4 SPK	WITHOUT, CD/MP3 , 4 SPK	WITHOUT, CD/MP3 , 2 SPK	WITHOUT, CD/MP3 , 4 SPK
		AC/HEATER		FR+RR/WITHOUT	FR+RR/ FR	FR+RR/ FR	FR+RR/WITHOUT	FR+RR/ FR

HIACE - '11YM SPECIFICATIONS

Basic	BASE MODEL	MAKE	TOYOTA	TOYOTA NEW	TOYOTA	
		MODEL NAME	HIACE	HIACE	HIACE	
		GRADE	15 STR AC GL H/R	15 STR AC GL H/R + ABS A/T	15 STR AC DLX DSL	
		MODEL CODE/SFX	TRH223L-LEMNKV/TRH-04	TRH223L-LEPNKV/TRH-54	KDH202L-REMDYV/KDH-11	
		BODY TYPE	BUS	BUS	BUS	
DIMENSIONS		DIMENSIONS Lx Wx H mm	5380 X 1880 X 2285	5380 X 1880 X 2285	4695 X 1695 X 1980	
		DECK DIMENSIONS L x W x H mm	--	--	--	
		WHEEL BASE mm	3110	3110	2570	
		GROUND CLEARANCE mm				
		MIN. TURNING RADIUS(M)	6,2	6,2	5,0	
		KERB WEIGHT (Kgs)	2000-2075	2015-2090	1815-1870	
		PAYLOAD(KGS)	--	--	--	
		GROSS VEHICLE WEIGHT (Kgs)	3250	3250	3000	
		FUEL TANK CAPACITY Ltrs.	70	70	70	
	ENGINE & DRIVETRAIN		DISPLACEMENT cc	2694	2694	2494
		HP (SAE Net) / RPM	149/ 4800	149/ 4800	101/3600	
		TORQUE (SAE Net) KgM /RPM	24.6/3800	24.6/3800	26.5/1600-2400	
		TYPE	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC, TURBO	
		FUEL SYSTEM	EFi, VVTi	EFi, VVTi	COMMON RAIL WITH EFi	
		FUEL TYPE	GASOLINE	GASOLINE	DIESEL	
		CATALYTIC CONVERTER	WITH	WITH	--	
		T/M	5-SPEED M/T	4-SPEED A/T	5-SPEED M/T	
TIRE			TIRE SIZE	195R15	195R15	195R15
			WHEEL CAP	FULL	FULL	FULL
STEERING		POWER/TILT	WITH/WITH	WITH/WITH	WITH/WITH	
BRAKE		FRONT/REAR	V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM	
		LSPV	WITH	WITH	WITH	
SUSPENSION		FRONT	DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE	
		REAR	LEAF SPRING	LEAF SPRING	LEAF SPRING	
Safety		ABS	WITHOUT	WITH	WITHOUT	
		SIDE IMPACT BEAM	WITH	WITH	WITH	
		AIR BAG	D+P	D+P	WITHOUT	
Exterior		BUMPER	Fr. & Rr.	COLOUR KEYED	COLOUR KEYED	
		MUD GUARDS	Fr. & Rr.	WITH	WITH	
		WINDSHIELD GLASS		GREEN LAMINATED	GREEN LAMINATED	
		HIGH MOUNT STOP LAMP		WITH	WITH	
		OUTER MIRRORS		BLACK	BLACK	
		DOOR HANDLES		CHROME	CHROME	
Interior		FUEL LID OPENER		WITH	WITH	
		SEAT MATERIAL		SUPERIOR FABRIC	SUPERIOR FABRIC	
		Fr. SEAT	Fr. SEAT BELT	3PELRx2+PT(D+P)	3PELRx2+PT(D+P)	3PELRx2+2PNRx1
		Rr. SEAT	Rr. SEAT BELT	2PNRx13	3PNRx13	2PNRx12
			HEAD REST	WITH	WITH	WITHOUT
		Fr. SPOT LAMP		WITH	WITH	WITHOUT
		DIGITAL CLOCK		WITH	WITH	WITH
		INNER REARVIEW MIRRORS		DAY / NIGHT	DAY / NIGHT	DAY / NIGHT
		SUN VISOR		D+P (FABRIC)	D+P (FABRIC)	D+P (FABRIC)
		SEATING CAPACITY		15	15	15
Electric		WIPER Fr		INTERMITTENT	INTERMITTENT	
		WIPER Rr		INTERMITTENT	INTERMITTENT	
		POWER WINDOW		WITH	WITH	
		POWER DOOR LOCK		WITH	WITH	
		KEYLESS ENTRY		WITH	WITH	
		Rr. WINDOW DEFOGGER		WITH	WITH	
		METER ILLUMINATION CONTROL		WITH	WITH	
		ILLUMINATED ENTRY SYSTEM		WITH	WITH	
		RADIO		AM / FM ETR	AM / FM ETR	
		CASSETTE STEREO		WITHOUT, CD/MP3 6 SPK	WITHOUT, CD/MP3 6 SPK	WITHOUT, CD/MP3 , 2 SPK
		AC/HEATER		FR+RR/ FR+RR	FR+RR/ FR+RR	FR+RR/ FR

HIACE - '11YM SPECIFICATIONS

Basic	BASE MODEL		MAKE	TOYOTA	TOYOTA	TOYOTA	TOYOTA	TOYOTA
	MODEL NAME		HIACE	HIACE	HIACE	HIACE	HIACE	HIACE
	GRADE		15 STR AC DLX DSL H/R	DELVAN AC	DEL VAN AC LWB H/R	GLASS VAN AC	DEL VAN AC DSL	
	MODEL CODE/SFX		KDH222L-LEMDYV/KDH-13	TRH201L-SBMDKV/TRH-05	TRH221L-MBMDKV/TRH-06	TRH201L-SRMDKV/TRH-07	KDH200L-SBMDYV/KDH-15	
	BODY TYPE		BUS	VAN	VAN	VAN	VAN	
DIMENSIONS	DIMENSIONS Lx Wx H mm		5380 X 1880 X 2285	4695 X 1695 X 1980	5380 X 1880 X 2285	4695 X 1695 X 1980	4695 X 1695 X 1980	
	DECK DIMENSIONS L x W x H mm		--	2930 X 1545 X 1335	3470 X 1730 X 1635	2930 X 1545 X 1335	2930 X 1545 X 1335	
	WHEEL BASE mm		3110	2570	3110	2570	2570	
	GROUND CLEARANCE mm							
	MIN. TURNING RADIUS(M)		6,2	5,0	6,2	5,0	5,0	
	KERB WEIGHT (Kgs)		1995-2110	1680-1750	1850-1900	1680-1750	1745-1805	
	PAYLOAD(KGS)		--	1120	1350	1100	1055	
	GROSS VEHICLE WEIGHT (Kgs)		3300	2800	3200	2800	2800	
	FUEL TANK CAPACITY Ltrs.		70	70	70	70	70	
	ENGINE & DRIVETRAIN	DISPLACEMENT cc		2494	2694	2694	2694	2494
HP (SAE Net) / RPM		101/3600	149/ 4800	149/ 4800	149/ 4800	101/3600		
TORQUE (SAE Net) KgM /RPM		26.5/1600-2400	24.6/3800	24.6/3800	24.6/3800	26.5/1600-2400		
TYPE		4 CYL, 16 V, DOHC, TURBO	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC	4 CYL, 16 V, DOHC, TURBO		
FUEL SYSTEM		COMMON RAIL WITH EFI	EFi, VVTi	EFi, VVTi	EFi, VVTi	COMMON RAIL WITH EFI		
FUEL TYPE		DIESEL	GASOLINE	GASOLINE	GASOLINE	DIESEL		
CATALYTIC CONVERTER		--	WITH	WITH	WITH	--		
T/M		5-SPEED M/T	5-SPEED M/T	5-SPEED M/T	5-SPEED M/T	5-SPEED M/T		
TIRE		TIRE SIZE		195R15	195R15	195R15	195R15	195R15
	WHEEL CAP		FULL	FULL	FULL	FULL	FULL	
STEERING	POWER/TILT		WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH	
BRAKE	FRONT/REAR		V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM	V. DISC/DRUM	
	LSPV		WITH	WITH	WITH	WITH	WITH	
SUSPENSION	FRONT		DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE	DOUBLE WISHBONE	
	REAR		LEAF SPRING	LEAF SPRING	LEAF SPRING	LEAF SPRING	LEAF SPRING	
Safety	ABS		WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	SIDE IMPACT BEAM		WITH	WITH	WITH	WITH	WITH	
	AIR BAG		WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
Exterior	BUMPER Fr. & Rr.		BLACK	BLACK	BLACK	BLACK	BLACK	
	MUD GUARDS Fr. & Rr.		WITH	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	WINDSHIELD GLASS		GREEN LAMINATED	GREEN LAMINATED	GREEN LAMINATED	GREEN LAMINATED	GREEN LAMINATED	
	HIGH MOUNT STOP LAMP		WITH	WITHOUT	WITHOUT	WITH	WITHOUT	
	OUTER MIRRORS		BLACK	BLACK	BLACK	BLACK	BLACK	
	DOOR HANDLES		BLACK	BLACK	BLACK	BLACK	BLACK	
Interior	FUEL LID OPENER		WITH	WITH	WITH	WITH	WITH	
	SEAT MATERIAL		FABRIC	FABRIC	FABRIC	FABRIC	FABRIC	
	Fr. SEAT	Fr. SEAT BELT	3PELRx2	3PELRx2+2PNRx1	3PELRx2+2PNRx1	3PELRx2+2PNRx1	3PELRx2+2PNRx1	
	Rr. SEAT	Rr. SEAT BELT	2PNRx13	WIHTOUT	WIHTOUT	3PELRx2+2PNRx1	WIHTOUT	
	HEAD REST		WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	Fr. SPOT LAMP		WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	DIGITAL CLOCK		WITH	WITH	WITH	WITH	WITH	
	INNER REARVIEW MIRRORS		DAY / NIGHT	DAY / NIGHT	DAY / NIGHT	DAY / NIGHT	DAY / NIGHT	
	SUN VISOR		D+P (FABRIC)	D+P (FABRIC)	D+P (FABRIC)	D+P (FABRIC)	D+P (FABRIC)	
	SEATING CAPACITY		15	3	3	6	3	
Electrica	WIPER Fr		INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	
	WIPER Rr		INTERMITTENT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	POWER WINDOW		WITH	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	POWER DOOR LOCK		WITH	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	KEYLESS ENTRY		WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	Rr. WINDOW DEFOGGER		WITH	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	METER ILLUMINATION CONTROL		WITH	WITH	WITH	WITH	WITH	
	ILLUMINATED ENTRY SYSTEM		WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT	
	RADIO		AM / FM ETR	AM / FM ETR	AM / FM ETR	AM / FM ETR	AM / FM ETR	
	CASSETTE STEREO		WITHOUT, CD/MP3, 4 SPK	WITHOUT, CD/MP3, 2 SPK	WITHOUT, CD/MP3, 2 SPK	WITHOUT, CD/MP3, 2 SPK	WITHOUT, CD/MP3, 2 SPK	
	AC/HEATER		FR+RR/FR	FR/WITHOUT	FR/WITHOUT	FR/WITHOUT	FR/WITHOUT	